



# AGILITY BICEP

## THE GAP FILLER · COMPLETE SPEC BOOK · P1.2 – P10

6" × 6" · one quarter of a Quadricep · tiles side-by-side to complete any build · 5-year warranty

### THE LINE-UP

|             |                     |            |
|-------------|---------------------|------------|
| <b>P1.2</b> | 120 × 120 per panel | 1,000 nits |
| <b>P1.5</b> | 96 × 96 per panel   | 1,500 nits |
| <b>P1.9</b> | 80 × 80 per panel   | 5,000 nits |
| <b>P2.5</b> | 60 × 60 per panel   | 4,500 nits |
| <b>P3.8</b> | 40 × 40 per panel   | 6,500 nits |
| <b>P5.0</b> | 30 × 30 per panel   | 6,500 nits |
| <b>P7.0</b> | 22 × 22 per panel   | 6,500 nits |
| <b>P10</b>  | 15 × 15 per panel   | 6,500 nits |

Available for purchase or full-service rental · Brompton processing option on every pitch

[WUNDERART.US](https://www.wunderart.us)

Michael Artsis · Co-Founder & Co-CEO · (917) 400-6497 · [Michael@WunderArt.us](mailto:Michael@WunderArt.us)

AGILITY FAMILY

# QUADRICEP × BICEP

*One platform, two sizes — shown at true relative scale. They tile together, seamlessly.*

*true relative scale →*




## QUADRICEP

12" × 12" · 4.78 lbs · 3.8" deep · integrated receiving box

BEHIND THE PIXELS




Quadricep rear — integrated power & receiving, daisy-chain in/out



## BICEP

6" × 6" · 2.0 lbs · 0.75" thin · off-cabinet box



Bicep profile — 0.75" thin, box rides off-cabinet

**SAME PITCHES P1.2-P10 · SAME BULBS & CHIPS · FOUR BICEPS = ONE QUADRICEP**

Mix freely in one array — the Bicep fills gaps and finishes shapes the big panel can't reach.

[WUNDERART.US](http://WUNDERART.US)



# AGILITY BICEP P1.2

6" × 6" flexible LED — tiles seamlessly with the 12" × 12" Quadricep to fill gaps and complete the build · 5-year warranty



## ATTRIBUTES

- Makes complex and simple curves
- Flexible in multiple directions at once
- Durable
- Scalable
- Water & weather resistant to IP67
- Ultra-light — 2.0 lbs
- PowerCON / EtherCON connectors
- Daisy-chain power and data

## SPECIFICATIONS

|                      |                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------|
| PIXEL PITCH          | P1.2                                                                                              |
| RESOLUTION PER PANEL | 120 × 120                                                                                         |
| BRIGHTNESS           | 1,000 NITS                                                                                        |
| DIMENSIONS           | 6" × 6" × 0.75" deep · off-cabinet receiving box (one per panel)                                  |
| WEIGHT               | 2.0 lbs per panel                                                                                 |
| CABINET FLEX         | 40° concave · 40° convex                                                                          |
| IP RATING            | IP67 — indoor & outdoor                                                                           |
| BULBS & DRIVERS      | Nationstar Gold · MBI or Chipone chips — flexible by build                                        |
| LED TYPE             | White SMD (Black available)                                                                       |
| REFRESH & GREYSCALE  | 3,840 Hz adj. · up to 7,680 Hz with Brompton · 14-bit std, 16-bit avail. · 16 or 20 scan          |
| TEMPERATURE RANGE    | -14°F to 140°F                                                                                    |
| CABINET MOUNT        | Magnetic — easy to install & service                                                              |
| PROCESSING           | Novastar A8S (industry standard) · Brompton option                                                |
| LED LIFESPAN         | 100,000+ hours — 10 years at full brightness                                                      |
| WORKS WITH           | Quadricep 12"×12" — seamless side-by-side tiling · four Biceps = one Quadricep · ideal gap-filler |
| ASSEMBLED            | USA — more than 50% at our New Jersey facility                                                    |

*"Fantastic. We really love this product and your service."*

KIRK KUSANO · TECHNICAL DIRECTOR, DISNEYLAND PARKS & RESORTS

Bicep fills the gaps on Disney's Magic Happens floats, aboard the Disney Wish, and at Children's Healthcare of Atlanta.

**AVAILABLE FOR PURCHASE OR FULL-SERVICE RENTAL**

Michael Artsis · Co-Founder & Co-CEO · (917) 400-6497 · Michael@WunderArt.us

WUNDERART.US



# AGILITY BICEP P1.5

6" × 6" flexible LED — tiles seamlessly with the 12" × 12" Quadricep to fill gaps and complete the build · 5-year warranty



## ATTRIBUTES

- Makes complex and simple curves
- Flexible in multiple directions at once
- Durable
- Scalable
- Water & weather resistant to IP67
- Ultra-light — 2.0 lbs
- PowerCON / EtherCON connectors
- Daisy-chain power and data

## SPECIFICATIONS

|                      |                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------|
| PIXEL PITCH          | P1.5                                                                                              |
| RESOLUTION PER PANEL | 96 × 96                                                                                           |
| BRIGHTNESS           | 1,500 NITS                                                                                        |
| DIMENSIONS           | 6" × 6" × 0.75" deep · off-cabinet receiving box (one per panel)                                  |
| WEIGHT               | 2.0 lbs per panel                                                                                 |
| CABINET FLEX         | 40° concave · 40° convex                                                                          |
| IP RATING            | IP67 — indoor & outdoor                                                                           |
| BULBS & DRIVERS      | Nationstar Gold · MBI or Chipone chips — flexible by build                                        |
| LED TYPE             | White SMD (Black available)                                                                       |
| REFRESH & GREYSCALE  | 3,840 Hz adj. · up to 7,680 Hz with Brompton · 14-bit std, 16-bit avail. · 16 or 20 scan          |
| TEMPERATURE RANGE    | -14°F to 140°F                                                                                    |
| CABINET MOUNT        | Magnetic — easy to install & service                                                              |
| PROCESSING           | Novastar A8S (industry standard) · Brompton option                                                |
| LED LIFESPAN         | 100,000+ hours — 10 years at full brightness                                                      |
| WORKS WITH           | Quadricep 12"×12" — seamless side-by-side tiling · four Biceps = one Quadricep · ideal gap-filler |
| ASSEMBLED            | USA — more than 50% at our New Jersey facility                                                    |

*"Fantastic. We really love this product and your service."*

KIRK KUSANO · TECHNICAL DIRECTOR, DISNEYLAND PARKS & RESORTS

Bicep fills the gaps on Disney's Magic Happens floats, aboard the Disney Wish, and at Children's Healthcare of Atlanta.

**AVAILABLE FOR PURCHASE OR FULL-SERVICE RENTAL**


Michael Artsis · Co-Founder & Co-CEO · (917) 400-6497 · Michael@WunderArt.us

WUNDERART.US



# AGILITY BICEP P1.9

6" × 6" flexible LED — tiles seamlessly with the 12" × 12" Quadricep to fill gaps and complete the build · 5-year warranty



## ATTRIBUTES

- Makes complex and simple curves
- Flexible in multiple directions at once
- Durable
- Scalable
- Water & weather resistant to IP67
- Ultra-light — 2.0 lbs
- PowerCON / EtherCON connectors
- Daisy-chain power and data

## SPECIFICATIONS

|                      |                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------|
| PIXEL PITCH          | P1.9                                                                                              |
| RESOLUTION PER PANEL | 80 × 80                                                                                           |
| BRIGHTNESS           | 5,000 NITS                                                                                        |
| DIMENSIONS           | 6" × 6" × 0.75" deep · off-cabinet receiving box (one per panel)                                  |
| WEIGHT               | 2.0 lbs per panel                                                                                 |
| CABINET FLEX         | 40° concave · 40° convex                                                                          |
| IP RATING            | IP67 — indoor & outdoor                                                                           |
| BULBS & DRIVERS      | Nationstar Gold · MBI or Chipone chips — flexible by build                                        |
| LED TYPE             | White SMD (Black available)                                                                       |
| REFRESH & GREYSCALE  | 3,840 Hz adj. · up to 7,680 Hz with Brompton · 14-bit std, 16-bit avail. · 16 or 20 scan          |
| TEMPERATURE RANGE    | -14°F to 140°F                                                                                    |
| CABINET MOUNT        | Magnetic — easy to install & service                                                              |
| PROCESSING           | Novastar A8S (industry standard) · Brompton option                                                |
| LED LIFESPAN         | 100,000+ hours — 10 years at full brightness                                                      |
| WORKS WITH           | Quadricep 12"×12" — seamless side-by-side tiling · four Biceps = one Quadricep · ideal gap-filler |
| ASSEMBLED            | USA — more than 50% at our New Jersey facility                                                    |

*"Fantastic. We really love this product and your service."*

KIRK KUSANO · TECHNICAL DIRECTOR, DISNEYLAND PARKS & RESORTS

Bicep fills the gaps on Disney's Magic Happens floats, aboard the Disney Wish, and at Children's Healthcare of Atlanta.

**AVAILABLE FOR PURCHASE OR FULL-SERVICE RENTAL**


Michael Artsis · Co-Founder & Co-CEO · (917) 400-6497 · Michael@WunderArt.us

[WUNDERART.US](http://WUNDERART.US)



# AGILITY BICEP P2.5

6" × 6" flexible LED — tiles seamlessly with the 12" × 12" Quadricep to fill gaps and complete the build · 5-year warranty



## ATTRIBUTES

- Makes complex and simple curves
- Flexible in multiple directions at once
- Durable
- Scalable
- Water & weather resistant to IP67
- Ultra-light — 2.0 lbs
- PowerCON / EtherCON connectors
- Daisy-chain power and data

## SPECIFICATIONS

|                      |                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------|
| PIXEL PITCH          | P2.5                                                                                              |
| RESOLUTION PER PANEL | 60 × 60                                                                                           |
| BRIGHTNESS           | 4,500 NITS                                                                                        |
| DIMENSIONS           | 6" × 6" × 0.75" deep · off-cabinet receiving box (one per panel)                                  |
| WEIGHT               | 2.0 lbs per panel                                                                                 |
| CABINET FLEX         | 40° concave · 40° convex                                                                          |
| IP RATING            | IP67 — indoor & outdoor                                                                           |
| BULBS & DRIVERS      | Nationstar Gold · MBI or Chipone chips — flexible by build                                        |
| LED TYPE             | White SMD (Black available)                                                                       |
| REFRESH & GREYSCALE  | 3,840 Hz adj. · up to 7,680 Hz with Brompton · 14-bit std, 16-bit avail. · 16 or 20 scan          |
| TEMPERATURE RANGE    | -14°F to 140°F                                                                                    |
| CABINET MOUNT        | Magnetic — easy to install & service                                                              |
| PROCESSING           | Novastar A8S (industry standard) · Brompton option                                                |
| LED LIFESPAN         | 100,000+ hours — 10 years at full brightness                                                      |
| WORKS WITH           | Quadricep 12"×12" — seamless side-by-side tiling · four Biceps = one Quadricep · ideal gap-filler |
| ASSEMBLED            | USA — more than 50% at our New Jersey facility                                                    |

*"Fantastic. We really love this product and your service."*

KIRK KUSANO · TECHNICAL DIRECTOR, DISNEYLAND PARKS & RESORTS

Bicep fills the gaps on Disney's Magic Happens floats, aboard the Disney Wish, and at Children's Healthcare of Atlanta.

**AVAILABLE FOR PURCHASE OR FULL-SERVICE RENTAL**


Michael Artsis · Co-Founder & Co-CEO · (917) 400-6497 · Michael@WunderArt.us

[WUNDERART.US](http://WUNDERART.US)



# AGILITY BICEP P3.8

6" × 6" flexible LED — tiles seamlessly with the 12" × 12" Quadricep to fill gaps and complete the build · 5-year warranty



## ATTRIBUTES

- Makes complex and simple curves
- Flexible in multiple directions at once
- Durable
- Scalable
- Water & weather resistant to IP67
- Ultra-light — 2.0 lbs
- PowerCON / EtherCON connectors
- Daisy-chain power and data

## SPECIFICATIONS

|                      |                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------|
| PIXEL PITCH          | P3.8                                                                                              |
| RESOLUTION PER PANEL | 40 × 40                                                                                           |
| BRIGHTNESS           | 6,500 NITS                                                                                        |
| DIMENSIONS           | 6" × 6" × 0.75" deep · off-cabinet receiving box (one per panel)                                  |
| WEIGHT               | 2.0 lbs per panel                                                                                 |
| CABINET FLEX         | 40° concave · 40° convex                                                                          |
| IP RATING            | IP67 — indoor & outdoor                                                                           |
| BULBS & DRIVERS      | Nationstar Gold · MBI or Chipone chips — flexible by build                                        |
| LED TYPE             | White SMD (Black available)                                                                       |
| REFRESH & GREYSCALE  | 3,840 Hz adj. · up to 7,680 Hz with Brompton · 14-bit std, 16-bit avail. · 16 or 20 scan          |
| TEMPERATURE RANGE    | -14°F to 140°F                                                                                    |
| CABINET MOUNT        | Magnetic — easy to install & service                                                              |
| PROCESSING           | Novastar A8S (industry standard) · Brompton option                                                |
| LED LIFESPAN         | 100,000+ hours — 10 years at full brightness                                                      |
| WORKS WITH           | Quadricep 12"×12" — seamless side-by-side tiling · four Biceps = one Quadricep · ideal gap-filler |
| ASSEMBLED            | USA — more than 50% at our New Jersey facility                                                    |

*"Fantastic. We really love this product and your service."*

KIRK KUSANO · TECHNICAL DIRECTOR, DISNEYLAND PARKS & RESORTS

Bicep fills the gaps on Disney's Magic Happens floats, aboard the Disney Wish, and at Children's Healthcare of Atlanta.

**AVAILABLE FOR PURCHASE OR FULL-SERVICE RENTAL**


Michael Artsis · Co-Founder & Co-CEO · (917) 400-6497 · Michael@WunderArt.us

[WUNDERART.US](http://WUNDERART.US)



# AGILITY BICEP P5.0

6" × 6" flexible LED — tiles seamlessly with the 12" × 12" Quadricep to fill gaps and complete the build · 5-year warranty



## ATTRIBUTES

- Makes complex and simple curves
- Flexible in multiple directions at once
- Durable
- Scalable
- Water & weather resistant to IP67
- Ultra-light — 2.0 lbs
- PowerCON / EtherCON connectors
- Daisy-chain power and data

## SPECIFICATIONS

|                      |                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------|
| PIXEL PITCH          | P5.0                                                                                              |
| RESOLUTION PER PANEL | 30 × 30                                                                                           |
| BRIGHTNESS           | 6,500 NITS                                                                                        |
| DIMENSIONS           | 6" × 6" × 0.75" deep · off-cabinet receiving box (one per panel)                                  |
| WEIGHT               | 2.0 lbs per panel                                                                                 |
| CABINET FLEX         | 40° concave · 40° convex                                                                          |
| IP RATING            | IP67 — indoor & outdoor                                                                           |
| BULBS & DRIVERS      | Nationstar Gold · MBI or Chipone chips — flexible by build                                        |
| LED TYPE             | White SMD (Black available)                                                                       |
| REFRESH & GREYSCALE  | 3,840 Hz adj. · up to 7,680 Hz with Brompton · 14-bit std, 16-bit avail. · 16 or 20 scan          |
| TEMPERATURE RANGE    | -14°F to 140°F                                                                                    |
| CABINET MOUNT        | Magnetic — easy to install & service                                                              |
| PROCESSING           | Novastar A8S (industry standard) · Brompton option                                                |
| LED LIFESPAN         | 100,000+ hours — 10 years at full brightness                                                      |
| WORKS WITH           | Quadricep 12"×12" — seamless side-by-side tiling · four Biceps = one Quadricep · ideal gap-filler |
| ASSEMBLED            | USA — more than 50% at our New Jersey facility                                                    |

*"Fantastic. We really love this product and your service."*

KIRK KUSANO · TECHNICAL DIRECTOR, DISNEYLAND PARKS & RESORTS

Bicep fills the gaps on Disney's Magic Happens floats, aboard the Disney Wish, and at Children's Healthcare of Atlanta.

**AVAILABLE FOR PURCHASE OR FULL-SERVICE RENTAL**

Michael Artsis · Co-Founder & Co-CEO · (917) 400-6497 · Michael@WunderArt.us

[WUNDERART.US](http://WUNDERART.US)



# AGILITY BICEP P7.0

6" × 6" flexible LED — tiles seamlessly with the 12" × 12" Quadricep to fill gaps and complete the build · 5-year warranty



## ATTRIBUTES

- Makes complex and simple curves
- Flexible in multiple directions at once
- Durable
- Scalable
- Water & weather resistant to IP67
- Ultra-light — 2.0 lbs
- PowerCON / EtherCON connectors
- Daisy-chain power and data

## SPECIFICATIONS

|                      |                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------|
| PIXEL PITCH          | <b>P7.0</b>                                                                                       |
| RESOLUTION PER PANEL | <b>22 × 22</b>                                                                                    |
| BRIGHTNESS           | <b>6,500 NITS</b>                                                                                 |
| DIMENSIONS           | 6" × 6" × 0.75" deep · off-cabinet receiving box (one per panel)                                  |
| WEIGHT               | 2.0 lbs per panel                                                                                 |
| CABINET FLEX         | 40° concave · 40° convex                                                                          |
| IP RATING            | IP67 — indoor & outdoor                                                                           |
| BULBS & DRIVERS      | Nationstar Gold · MBI or Chipone chips — flexible by build                                        |
| LED TYPE             | White SMD (Black available)                                                                       |
| REFRESH & GREYSCALE  | 3,840 Hz adj. · up to 7,680 Hz with Brompton · 14-bit std, 16-bit avail. · 16 or 20 scan          |
| TEMPERATURE RANGE    | -14°F to 140°F                                                                                    |
| CABINET MOUNT        | Magnetic — easy to install & service                                                              |
| PROCESSING           | Novastar A8S (industry standard) · Brompton option                                                |
| LED LIFESPAN         | 100,000+ hours — 10 years at full brightness                                                      |
| WORKS WITH           | Quadricep 12"×12" — seamless side-by-side tiling · four Biceps = one Quadricep · ideal gap-filler |
| ASSEMBLED            | USA — more than 50% at our New Jersey facility                                                    |

*"Fantastic. We really love this product and your service."*

KIRK KUSANO · TECHNICAL DIRECTOR, DISNEYLAND PARKS & RESORTS

Bicep fills the gaps on Disney's Magic Happens floats, aboard the Disney Wish, and at Children's Healthcare of Atlanta.

**AVAILABLE FOR PURCHASE OR FULL-SERVICE RENTAL**

Michael Artsis · Co-Founder & Co-CEO · (917) 400-6497 · Michael@WunderArt.us

[WUNDERART.US](http://WUNDERART.US)



# AGILITY BICEP P10

6" × 6" flexible LED — tiles seamlessly with the 12" × 12" Quadricep to fill gaps and complete the build · 5-year warranty



## ATTRIBUTES

- Makes complex and simple curves
- Flexible in multiple directions at once
- Durable
- Scalable
- Water & weather resistant to IP67
- Ultra-light — 2.0 lbs
- PowerCON / EtherCON connectors
- Daisy-chain power and data

## SPECIFICATIONS

|                      |                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------|
| PIXEL PITCH          | <b>P10</b>                                                                                        |
| RESOLUTION PER PANEL | <b>15 × 15</b>                                                                                    |
| BRIGHTNESS           | <b>6,500 NITS</b>                                                                                 |
| DIMENSIONS           | 6" × 6" × 0.75" deep · off-cabinet receiving box (one per panel)                                  |
| WEIGHT               | 2.0 lbs per panel                                                                                 |
| CABINET FLEX         | 40° concave · 40° convex                                                                          |
| IP RATING            | IP67 — indoor & outdoor                                                                           |
| BULBS & DRIVERS      | Nationstar Gold · MBI or Chipone chips — flexible by build                                        |
| LED TYPE             | White SMD (Black available)                                                                       |
| REFRESH & GREYSCALE  | 3,840 Hz adj. · up to 7,680 Hz with Brompton · 14-bit std, 16-bit avail. · 16 or 20 scan          |
| TEMPERATURE RANGE    | -14°F to 140°F                                                                                    |
| CABINET MOUNT        | Magnetic — easy to install & service                                                              |
| PROCESSING           | Novastar A8S (industry standard) · Brompton option                                                |
| LED LIFESPAN         | 100,000+ hours — 10 years at full brightness                                                      |
| WORKS WITH           | Quadricep 12"×12" — seamless side-by-side tiling · four Biceps = one Quadricep · ideal gap-filler |
| ASSEMBLED            | USA — more than 50% at our New Jersey facility                                                    |

*"Fantastic. We really love this product and your service."*

KIRK KUSANO · TECHNICAL DIRECTOR, DISNEYLAND PARKS & RESORTS

Bicep fills the gaps on Disney's Magic Happens floats, aboard the Disney Wish, and at Children's Healthcare of Atlanta.

**AVAILABLE FOR PURCHASE OR FULL-SERVICE RENTAL**

Michael Artsis · Co-Founder & Co-CEO · (917) 400-6497 · Michael@WunderArt.us

[WUNDERART.US](http://WUNDERART.US)